



PRODUCERS OF
FLOORING AND SEALER PRODUCTS
SINCE 1923

Desert Brand Maintenance and Care of Desert Brand Sealers

TECHNICAL BULLETIN

The Desert Brand Family of Sealers are designed for the look you want and the lasting protection you need. But, timeless beauty and durability can only be achieved if the sealed surface is maintained properly.

The following guidelines will help in achieving this goal.

Interior concrete, tile, and masonry floors:

For improved surface beauty and additional slip resistance, apply two or more coats of a high quality floor polish such as Desert Brand Top Finish over the newly sealed, dry floor. Top Finish provides a scuff resistant, hard gloss finish and can add years of life to your sealed floor. Allow one hour between coats.

General Cleaning of Newly Sealed Surfaces:

Sweep, dust mop, or vacuum the sealed surface to remove dust, loose dirt, grit, and sand. It is important to keep the floor as clean as possible. Spot clean any spills immediately with a damp sponge or mop.

As Needed:

Mop with clean tap water. Spot clean stains with a dilute mild detergent such as Dawn dish-soap. For conditions that require a stronger detergent, use a dilute neutral cleaner such as Ajax Expert Surface Cleaner or Simple Green. Use a soft bristle brush or broom on stubborn areas. If automatic floor scrubbers are used, follow manufacturer's instructions using extreme caution not to damage the sealed surface. Rinse well to remove all soap residues, and let surface dry.

Periodically:

Renew the Sealer by cleaning the surface thoroughly, removing any floor polish, dirt, and stains. Allow to dry completely, and re-apply Desert Brand Sealer to the clean substrate.

CORPORATE HEADQUARTERS: HILL BROTHERS CHEMICAL CO. ■ 1675 North Main Street, Orange, CA 9286 ■ (714) 998-8800

Hill Brothers Branch Offices: So. California (800) 438-8515 San Jose (800) 257-1920 Phoenix (602) 272-9363 Tucson (520) 795-9351 Salt Lake (801) 936-4100 International Sales (800) 821-7234

The information in this technical bulletin is based on data obtained by our own research and is considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from the use thereof, or that any such use will not infringe any patent. This information is furnished upon the condition that the person receiving it shall make his own tests to determine the suitability thereof for his particular purpose. Sales specifications, although current at time of publication, are subject to change due to process improvements. For latest product specifications, contact our nearest sales office.